

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	9	(java near midlet) and (URI or (universal near indicator))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/20 09:24
L2	0	(java near midlet) and (universal near message near handler) and (URI or (universal near indicator))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/20 09:11
L3	0	(java near midlet) and (universal near message near handler)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/20 09:17
L4	0	(universal near message near handler)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/20 09:17
L5	9	(java near midlet) and (URI or (universal near indicator)) and messag\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/20 09:22
L6	76	papineau.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/20 09:23
L7	3	l6 and (software or java)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/20 09:22
L8	3	papineau-scott.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/20 09:23

L9	13	(java same midlet) and (URI or (universal near indicator))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/20 09:25
L10	6	(java same midlet) and (messag\$4 near (handl\$4 or receiver))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/20 09:29
L11	1414	java and (messag\$4 near (handl\$4 or receiver))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/20 09:29
L12	7	java and midlet and (messag\$4 near (handl\$4 or receiver))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/20 09:30
L13	249	(messag\$4 near (handl\$4 or receiver)) and (security near (key or token))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/20 09:33
L14	210	l13 and @ad<"20030324"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/20 10:33
L16	66	l14 and java	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/20 09:32
L17	33	l14 and java and push	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/20 09:32

L18	203	(messag\$4 near (handler or handling or receiver)) and (security near (key or token))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/20 09:33
L19	48	(messag\$4 near (handler or handling or receiver)) and (security near (key or token)) and java and @ad<"20030324"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/20 09:33
L20	0	l19 and (push near server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/20 09:33
L21	8	l19 and (spawn or (auto near load\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/20 09:36
L22	29	(push near server) and (spawn\$4 or (auto near load))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/20 10:18
L23	2	(push near client) and (spawn\$4 or (auto near load))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/20 10:19
L24	15	(push\$4 near client) and (spawn\$4 or (auto near load))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/20 10:26
L25	24	java and (getmediatype or getcontenttype or getmuglet or getreferringuri or geturi)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/20 13:37

L26	2	(data near download\$4 near client\$2) and (security near (key\$2 or token\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/20 10:33
L27	291	(data near download\$4) and (security near (key\$2 or token\$2)) and (mobile or wireless)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/20 10:36
L28	165	l27 and @ad<"20030324"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/20 10:34
L29	74	l28 and (java or uri)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/20 10:34
L30	28	(data near download\$4) and (security near (key\$2 or token\$2)) and java and (uri or midlet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/20 10:39
L31	9	uri and (java near midlet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/20 10:39
L32	9	(uri or (universal adj resource adj indicator)) and (java near midlet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/20 11:18
L33	0	l9 and (getmediatype or getcontenttype or getmuglet or getreferringuri or geturi)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/20 11:07

L34	2	(wap near service near load\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/20 11:28
L35	4	(wap near service near indication)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/20 11:20
L36	2	(universal near messag\$4 near handl\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/20 11:29
L37	598	java and (client and server) and (URI or (universal near indicator\$2)) and download\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/20 11:30
L38	6	l37 and midlet and @ad<"20030324"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/20 13:38
L39	94	(java or midlet) and (instant near messag\$4 near application)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/20 13:37
L40	0	l39 and ((java or midlet) near (instant near messag\$4 near application))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/20 13:42
L41	44	l39 and @ad<"20030324"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/20 13:43

L42	0	l39 and ((java or midlet) near (instant near messag\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/20 13:42
L43	1	((java or midlet) near (instant near messag\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/20 13:42
L44	1374	((java or midlet) and (instant near messag\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/20 13:43
L45	111	l44 and ((java or midlet) same (instant near messag\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/20 13:43
L46	58	l45 and @ad<"20030324"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/20 13:53
L47	73	java and midlet and (j2me or (Java near micro))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/20 13:53
L48	25	l47 and @ad<"20030324"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/20 14:56
L49	440	(java near download\$4) and @ad<"20030324"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/20 14:57

L50	9	I49 and URI	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/20 15:02
L51	41	(java near midlet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/20 15:10
L52	31	I51 and download\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/20 15:10